

STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY
SUPERSEDING

PERMIT

TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

- ☐ Surface Water (Issued in accordance with the provisions of Chapter 117, Laws of Washington for 1917, and amendments thereto, and the rules and regulations of the Department of Ecology.)
- ☒ Ground Water (Issued in accordance with the provisions of Chapter 263, Laws of Washington for 1945, and amendments thereto, and the rules and regulations of the Department of Ecology.)

PRIORITY DATE February 9, 1993	APPLICATION NUMBER G2-28743	PERMIT NUMBER G2-28743	CERTIFICATE NUMBER
-----------------------------------	--------------------------------	---------------------------	--------------------

NAME Washington Water Service	(CITY) Olympia	(STATE) Washington	(ZIP CODE) 98513
ADDRESS (STREET) 6800 Meridian Road SE			

The applicant is pursuant to the Report of Examination which has been accepted by the applicant, hereby granted a permit to appropriate the following public waters of the State of Washington, subject to existing rights and to the limitations and provisions set herein.

PUBLIC WATERS TO BE APPROPRIATED			
SOURCE 3 Wells			
TRIBUTARY OF (IF SURFACE WATERS)			
MAXIMUM CUBIC FEET PER SECOND	MAXIMUM GALLONS PER MINUTE 60	MAXIMUM ACRE FEET PER YEAR 11.5	
QUANTITY, TYPE OF USE, PERIOD OF USE 11.5 Acre-feet per year	Multiple domestic supply	Year-round, as needed	

LOCATION OF DIVERSION/WITHDRAWAL
APPROXIMATE LOCATION OF DIVERSION--WITHDRAWAL 770 feet South and 220 feet East of the North quarter corner of Section 24.

LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION) W½ NE¼	SECTION 24	TOWNSHIP N. 18	RANGE, (E. OR W.) W.M. 3W	W.R.I.A. 13	COUNTY Thurston
---	---------------	-------------------	------------------------------	----------------	--------------------

RECORDED PLATTED PROPERTY		
LOT	BLOCK	OF (GIVE NAME OF PLAT OR ADDITION)

LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED
The W½ NE¼ of Section 24, T. 18 N., R. 3 W.W.M., excepting therefrom tract conveyed to Henry D. and Suzy W. Moulder, husband and wife, by deed dated September 3, 1982 under Auditor's File #8209030008. Also, except that certain 60 foot wide strip conveyed to Thurston County for McKenzie Road as recorded September 7, 1982 under Auditor's File # 8209070127 records of Thurston County, Washington.

DESCRIPTION OF PROPOSED WORKS

8"X 70.6' drilled well
6"X73' drilled well
6"X72' drilled well

DEVELOPMENT SCHEDULE

BEGIN PROJECT BY THIS DATE: Started	COMPLETE PROJECT BY THIS DATE: Completed	WATER PUT TO FULL USE BY THIS DATE: January 1, 2007
--	---	--

PROVISIONS

An approved measuring device shall be installed and maintained for each of the sources identified by this water right in accordance with the rule "Requirements for Measuring and Reporting Water Use", Chapter 173-173 WAC. Water use data shall be recorded *monthly* and shall be submitted *annually* to Ecology by *January 31st of each calendar year, (or more frequently if necessary)*.

Installation and maintenance of an access port as described in Chapter 173-160 is required. An air line and gauge may be installed in addition to the access port.

Permittee or certificate holder, and its successor(s) shall provide data on chloride concentrations for the well authorized by this permit or certificate with analysis performed by a state accredited laboratory. Accreditation information may be obtained from Ecology's Quality Assurance Program at (360) 895-4649. Sampling shall occur in April and August of each year, with a copy of the laboratory results for both sampling events submitted by January 31 of the following year, to the Department of Ecology, Southwest Regional Office, Olympia, Washington.

If pumping of the well authorized by this permit or certificate causes chloride concentrations to exceed 100 milligrams per liter, immediate action shall be required to prevent concentrations from increasing (such as reducing the instantaneous withdrawal rate (gpm) of the well). If corrective measures fail to prevent chloride concentrations from exceeding said level in the future, permittee or certificate holder shall relinquish the option to perfect additional allocated quantities regardless of the stage of development.

The permittee is advised that notice of Proof of Appropriation of water (under which the final certificate of water right is issued) should not be filed until the permanent distribution system has been constructed and that quantity of water allocated by the permit to the extent water is required, has been put to full beneficial use.

Issuance of this water right is subject to the implementation of the minimum requirements established in the Conservation Planning Requirements, Guideline and Requirements for Public Water Systems Regarding Water Use Reporting, Demand Forecasting Methodology, and Conservation Programs, July 1994, and as revised.

Under RCW 90.03.005 and 90.54.020(6), conservation and improved water use efficiency must be emphasized in the management of the State's water resources, and must be considered as a potential new source of water. Accordingly, as part of the terms of this water right, the applicant shall prepare and implement a water conservation plan approved by Department of Health. The standards for such a plan may be obtained from either the Department of Health or the Department of Ecology.


This permit shall be subject to cancellation should the permittee fail to comply with the above development schedule and/or to give notice to the Department of Ecology on forms provided by that Department documenting such compliance.


Given under my hand and the seal of this office at Olympia, Washington,

this 13th day of May, 2002.

Department of Ecology

ENGINEERING DATA

OK 

by 
J. Mike Harris, Section Supervisor



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY



PERMIT

TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

☐

Surface Water

(Issued in accordance with the provisions of Chapter 117, Laws of Washington for 1917, and amendments thereto, and the rules and regulations of the Department of Ecology.)

☒

Ground Water

(Issued in accordance with the provisions of Chapter 263, Laws of Washington for 1945, and amendments thereto, and the rules and regulations of the Department of Ecology.)

PRIORITY DATE February 9, 1993	APPLICATION NUMBER G2-28743	PERMIT NUMBER G2-28743	CERTIFICATE NUMBER
-----------------------------------	--------------------------------	---------------------------	--------------------

NAME Helen Dutton			
ADDRESS (STREET) PO Box 2544	(CITY) Olympia	(STATE) Washington	(ZIP CODE) 98507-2544

The applicant is, pursuant to the Report of Examination which has been accepted by the applicant, hereby granted a permit to appropriate the following described public waters of the State of Washington, subject to existing rights and to the limitations and provisions set out herein.

PUBLIC WATERS TO BE APPROPRIATED

SOURCE Well

TRIBUTARY OF (IF SURFACE WATERS)

MAXIMUM CUBIC FEET PER SECOND	MAXIMUM GALLONS PER MINUTE 60	MAXIMUM ACRE-FEET PER YEAR 11.5
-------------------------------	----------------------------------	------------------------------------

QUANTITY, TYPE OF USE, PERIOD OF USE 11.5 Acre-feet per year	Multiple domestic supply	Year-round, as needed
---	--------------------------	-----------------------

LOCATION OF DIVERSION/WITHDRAWAL

APPROXIMATE LOCATION OF DIVERSION--WITHDRAWAL 770 feet South and 220 feet East of the North quarter corner of Section 24.
--

LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION) W $\frac{1}{2}$ NE $\frac{1}{4}$	SECTION 24	TOWNSHIP N. 18	RANGE, (E. OR W.) W.M. 3W	W.R.I.A. 13	COUNTY Thurston
---	---------------	-------------------	------------------------------	----------------	--------------------

RECORDED PLATTED PROPERTY

LOT	BLOCK	OF (GIVE NAME OF PLAT OR ADDITION)
-----	-------	------------------------------------

LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED

The West $\frac{1}{2}$ of the Northeast $\frac{1}{4}$ of Section 24, T. 18 N., R. 3 W.W.M. excepting therefrom tract conveyed to Henry D. and Suzy W. Moulder, Husband and Wife, by deed dated September 3, 1982 under Auditors File # 8209030008. Also, except that certain 60 foot wide strip conveyed to Thurston County for McKenzie Road as recorded September 7, 1982 under Auditors File # 8209070127 records of Thurston County, Washington.

DESCRIPTION OF PROPOSED WORKS

8" x 70.6' drilled well

DEVELOPMENT SCHEDULE

BEGIN PROJECT BY THIS DATE: Started	COMPLETE PROJECT BY THIS DATE: January 1, 1997	WATER PUT TO FULL USE BY THIS DATE: January 1, 1998
--	---	--

January 1, 1999

Jan 1, 2000

PROVISIONS

Jan 1, 2007

Installation and maintenance of an access port as described in WAC 173-160-355 is required. An air line and gauge may be installed in addition to the access port.

An approved metering device shall be installed and maintained in accordance with RCW 90.03.360, WAC 50-64-020 through -040 (installation, operation, and maintenance requirements are attached). Meter readings shall be recorded at least monthly.

Chloride concentration analysis shall be performed prior to system use, then quarterly when the system is in use by a laboratory accredited by the Department of Ecology. The resulting data shall be submitted to the Department of Ecology, Southwest Regional Office annually, in the month of February.

If the chloride concentration exceeds 100 mg/L, the withdrawal rate shall be reduced or the pump setting raised to reduce the chloride level to below 100 mg/L.

"The permittee is advised that notice of Proof of Appropriation of water (under which the final certificate of water right is issued) should not be filed until the permanent distribution system has been constructed and the quantity of water allocated by the permit has been put to full beneficial use."

Issuance of this water right is subject to the implementation of the minimum requirements established in the Conservation Planning Requirements, Guideline and Requirements for Public Water Systems Regarding Water Use Reporting, Demand Forecasting Methodology, and Conservation Programs, July 1994, and as revised.

Under RCW 90.03.005 and 90.54.020(6), conservation and improved water use efficiency must be emphasized in the management of the state's water resources, and must be considered as a potential new source of water. Accordingly, as part of the terms of this water right, the applicant shall prepare and implement a water conservation plan approved by the Department of Ecology. The standards for such a plan may be obtained from either the Department of Ecology or the Department of Ecology.

This permit shall be subject to cancellation should the permittee fail to comply with the above development schedule and/or fail to give notice to the Department of Ecology on forms provided by that Department documenting such compliance.

Given under my hand and the seal of this office at Olympia, Washington,

this 18th day of March, 19 96.

Department of Ecology

ENGINEERING DATA
OK LD

by Gale Blomston